


# LINECARD

**WATERWORKS**



**Gate Valves**

**Model 2010**  
2-24"; AWWA C515; FL x FL, MJ x MJ, MJ x FL; Threaded

**Model 1310**  
30-48"; AWWA C509; 2" Operating nut and handwheel provided

UL LISTED F-M APPROVED  
NSF 61



**Check Valves**

**Model 7700/7700LW, 9600, 8700**  
2-24"; AWWA C508

**Model 2560**  
2-16"; AWWA C550

UL LISTED F-M APPROVED  
NSF 61  
UL LISTED



**Butterfly Valves**

**Model 3900**  
3-24"; AWWA C504; Class 250B; FL x FL, MJ x MJ

**Model 3975**  
30-72"; AWWA C505; ANSI B16.1 Class 125

NSF 61



**Fire Hydrants**

**Series F-06**  
3-9' Burial Depths; AWWA C502; Dry Barrel

**Series F-08**  
AWWA C503; Wet Barrel

UL LISTED F-M APPROVED  
NSF 61



**Accessories**

**Model 6500**  
4-12" Ultra Lok Gland

**MJ Gland/Gasket Packs**  
2-24"; ANSI/AWWA C111/A21.11

**Hydrant Extension Kit**  
6-48"; For use with C502 Dry Barrel Fire Hydrant

**Valve Box**  
Cast Iron; Screw Type



**Mechanical Joint Fittings**

3-48"; AWWA C153; Compact Body

UL LISTED  
NSF 61




# LINECARD

**FIRE PROTECTION | INDUSTRIAL/OIL/GAS**



**Flanged Fittings**  
2 – 48"; AWWA C110; ANSI B16.1  
Class 125 and Class 250

UL LISTED  
NSF NSF 61




**Butterfly Valves**  
Model 2400  
2-12"; Grooved Butterfly Valve;  
Lug, Wafer Style and Threaded 1-2"

UL LISTED  
FM APPROVED



**Strainers**  
Model 3800  
2-12"; AWWA C606; ANSI B16.1 Class  
125/ANSI B16.5 Class 150; Y Strainer  
Model 3860  
3-12"; Basket Strainer

UL LISTED



**Gate Valves**  
Model 2010-PIV  
2-24"; Resilient Seat Valve  
with Post Indicator Plate

Model 2030  
2-24"; AWWA C515;  
OS&Y Gate Valves

Model 1050  
4-16"; AWWA C550;  
Resilient Seat Gate Valve

UL LISTED  
FM APPROVED  
NSF NSF 61





# FITTINGS & ACCESSORIES

**Flanges & Accessories**

|   |  |  |
|---|--|--|
| <p><b>Carbon Steel Flanges</b><br/>2-12"</p> <p><b>Model 5500</b><br/>Wall Indicator Post</p> <p><b>Model 5400GP &amp; 5450</b><br/>34.5" Adjustable Burial Length;<br/>Vertical Indicator Post</p> | <p><b>Model 306 &amp; 316</b><br/>1-12" Threaded Companion Flange</p> <p><b>Model 740 &amp; 790</b><br/>2-20" Compact Flange Reducers</p> <p><b>Model 840</b><br/>3-12" Flange Converter</p> <p><b>Model 590</b><br/>3-12" Filler Flange</p> | <p><b>Series SL, SLR, &amp; SBL</b><br/>2-12" Carbon Steel Flanges</p> <p><b>Model 7390 &amp; 8390</b><br/>4-12" Posi-Flange</p> <p><b>Model RFC/RFS</b><br/>2"-24" Redi-Flange Adapter</p> <p><b>Bolt Packs</b><br/>1-48"</p> |
|---|--|--|



