


LINECARD

WATERWORKS



Gate Valves
Model 2010
 2-24"; AWWA C515; FL x FL, MJ x MJ, MJ x FL; Threaded
Model 1310
 30-48"; AWWA C509; 2" Operating nut and handwheel provided



Check Valves
Model 7700/7700LW, 9600, 8700
 2-24"; AWWA C508
Model 2560
 2-16"; AWWA C550



Butterfly Valves
Model 3900
 3-24"; AWWA C503; Class 250B; FL x FL, MJ x MJ
Model 3975
 30-72"; AWWA C505; ANSI B16.1 Class 125



Fire Hydrants
Series F-06
 3-9' Burial Depths; AWWA C502; Dry Barrel
Series F-08
 AWWA C503; Wet Barrel



Accessories
Model 6500
 4-12" Ultra Lok Gland
MJ Gland/Gasket Packs
 2-24"; ANSI/AWWA C111/A21.11
Hydrant Extension Kit
 6-48"; For use with C502 Dry Barrel Fire Hydrant
Valve Box
 Cast Iron; Screw Type



Mechanical Joint Fittings
 3-48"; AWWA C153; Compact Body



LINECARD

FIRE PROTECTION | INDUSTRIAL/OIL/GAS



Flanged Fittings

2 - 48"; AWWA C110; ANSI B16.1
Class 125 and Class 250



Butterfly Valves

Model 2400
2-12"; Grooved Butterfly Valve;
Lug, Wafer Style and Threaded 1-2"



Strainers

Model 3800
2-12"; AWWA C606; ANSI B16.1 Class
125/ANSI B16.5 Class 150; Y Strainer
Model 3860
3-12"; Basket Strainer



Gate Valves

Model 2010-PIV
2-24"; Resilient Seat Valve
with Post Indicator Plate



Model 2030
2-24"; AWWA C515;
OS&Y Gate Valves



Model 1050
4-16"; AWWA C550;
Resilient Seat Gate Valve





FITTINGS & ACCESSORIES

Flanges & Accessories

<p>Carbon Steel Flanges 2-12"</p> <p>Model 5500 Wall Indicator Post</p> <p>Model 5400GP & 5450 34.5" Adjustable Burial Length; Vertical Indicator Post</p>	<p>Model 306 & 316 1-12" Threaded Companion Flange</p> <p>Model 740 & 790 2-20" Compact Flange Reducers</p> <p>Model 840 3-12" Flange Converter</p> <p>Model 590 3-12" Filler Flange</p>	<p>Series SL, SLR, & SBL 2-12" Carbon Steel Flanges</p> <p>Model 7390 & 8390 4-12" Posi-Flange</p> <p>Model RFC/RFS 2"-24" Redi-Flange Adapter</p> <p>Bolt Packs 1-48"</p>
---	--	--



